

38 rue Victoria Street, Finch, ON KOC 1K0 Tel: 613-984-2948 Fax: 613-984-2872 Toll Free: 1-877-984-2948 www.nation.on.ca

Application for a Permit to Construct or Demolish Applicant's Checklist

Completed Application
Deed of Land
Floor Plan (including basement area) for each Permit Application Submitted
SNC Planning and Engineering Review (if applicable) (Refer to Schedule #3 section 5) of the septic permit

Applicable fees will be collected at the time the permit(s) is picked up at the Finch office.

Above documents and information not completed or not submitted may delay the approval process.



Application for a Permit to Construct or Demolish

This form is authorized under subsection 8(1.1) of the Building Code Act.

For use by Principal Authority				
Permit number:	——— Date rec	eived:		
Roll number:				
Application submitted to:SOUTH	NATION CONSERV	/ATION		
A. Project information				
Building number, street name			Unit number	Lot/con.
Municipality	Postal code	Plan number/other descrip	ption	
Project value est. \$		Area of work (m ²)		
B. Purpose of application				
☐ New construction ☐ Addition to existing but	uilding		Demolition	Conditional Permit
Proposed use of building	Current use of t	ouilding		
Description of proposed work				
C. Applicant Applicant is:	Owner or	☐ Authorized agent of	owner	
Last name	First name	Corporation or partnershi	р	
Street address			Unit number	Lot/con.
Municipality	Postal code	Province	E-mail	
Telephone number ()	Fax ()		Cell number	
D. Owner (if different from applicant)				
Last name	First name	Corporation or partnership	p	
Street address			Unit number	Lot/con.
Municipality	Postal code	Province	E-mail	
Telephone number ()	Fax ()		Cell number	



E. Builder (optional)							
Last name	First name	Corporation or partnership	(if applica	able)			
Street address	<u> </u>		Unit num	ber	L	Lot/con.	
Municipality	Postal code	Province	E-mail				
Telephone number	Fax ()		Cell num	ber			
F. Tarion Warranty Corporation (Ontario N	ew Home Warranty Pr	rogram)					
i. Is proposed construction for a new home as no, go to section G.	•	•	If		Yes		No
ii. Is registration required under the Ontario No	ew Home Warranties Plan	Act?			Yes		No
iii. If yes to (ii) provide registration number(s):							
G. Required Schedules							
i) Attach Schedule 1 for each individual who reviews	and takes responsibility for	design activities.					
ii) Attach Schedule 2 where application is to construct	on-site, install or repair a se	ewage system.					
H. Completeness and compliance with applica	able law						
i) This application meets all the requirements of clauses 1.3.1.3 (5) (a) to (d) of Division C of the Building Code (the application is made in the correct form and by the owner or authorized agent, all applicable fields have been completed on the application and required schedules, and all required schedules are submitted). Payment has been made of all fees that are required, under the applicable by-law, resolution or regulation made under clause 7(1)(c) of the <i>Building Code Act, 1992</i> , to be paid when the application is made.							
under clause 7(1)(c) of the Buttating Code Act, 1992	, to be paid when the applic	ation is made.			Yes		No
ii) This application is accompanied by the plans and specifications prescribed by the applicable by-law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act</i> , 1992.						No	
iii) This application is accompanied by the information and documents prescribed by the applicable by-law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act, 1992</i> which enable the chief building official to determine whether the proposed building, construction or demolition will contravene any applicable law.						No	
iv) The proposed building, construction or demolition will not contravene any applicable law.					No		
I. Declaration of applicant							
I			declare	that:			
(print name)							
 The information contained in this application, attached schedules, attached plans and specifications, and other attached documentation is true to the best of my knowledge. If the owner is a corporation or partnership, I have the authority to bind the corporation or partnership. 							
Date Signature of applicant							



SCHEDULE 1: DESIGNER INFORMATION

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project.

A. Project Information			0.00.000				
Building number, street name			Unit no.	Lot/con.			
Municipality	Postal code	Plan number/other descript	tion				
B. Individual who reviews and takes	responsibili						
Name		Firm					
Street address	100	j.	Unit no.	Lot/con.			
Municipality	Postal code	Province	E-mail				
Telephone number ()	Fax number ()		Cell number ()				
C. Design activities undertaken by Division C	ndividual ide	ntified in Section B. [Bui	Iding Code Table	3.5.2.1. of			
House Small Buildings Large Buildings Complex Buildings	☐ HVAC ☐ Buildin ☐ Detecti ☐ Fire Pro	g Services on, Lighting and Power	□ Building Stru □ Plumbing – H □ Plumbing – H □ On-site Sew	House All Buildings			
	Description of designer's work						
D. Declaration of Designer							
I declare that (choose one as appropriate):							
(print name)							
☐ I review and take responsibility for the design work on behalf of a firm registered under subsection 3.2.4.of Division C, of the Building Code. I am qualified, and the firm is registered, in the appropriate classes/categories. Individual BCIN: Firm BCIN:							
☐ I review and take responsibility for the design and am qualified in the appropriate category as an "other designer" under subsection 3.2.5.of Division C, of the Building Code. Individual BCIN: Basis for exemption from registration:							
Basis for exemption from	The design work is exempt from the registration and qualification requirements of the Building Code. Basis for exemption from registration and qualification:						
I certify that: 1. The information contained in this s	chedule is true	to the hest of my knowledge					
I have submitted this application was a submitted that a s							
Date		Signature of Designer					



SCHEDULE 2: SEWAGE SYSTEM INSTALLER INFORMATION

A. Project Information					
Building number, street name			Unit number	Lot/con.	
Municipality	Postal code	Plan number/ other de	scription		
B. Sewage system inst	aller	<u> </u>			
Is the installer of the sewage emptying sewage systems, in Yes (Continue to Se	accordance with Building Co	ess of constructing on-sit ode Article 3.3.1.1, Divisio (Continue to Section E)	on C?	servicing, cleaning or unknown at time of on (Continue to Section E)	
C. Registered installer	information (where answ	ver to B is "Ves")			
Name	information (where unse	ici to b is i cs j	BCIN		
Street address			Unit number	Lot/con.	
		1-		20000111	
Municipality	Postal code	Province	E-mail		
Telephone number	Fax ()		Cell number		
D. Qualified supervisor	information (where ans	wer to section B is "\	(es")		
Name of qualified supervisor	(s)	Building Code Identifica	ation Number (BCIN)		
E. Declaration of Applicant:					
Ideclare that: (print name)					
I am the applicant for the permit to construct the sewage system. If the installer is unknown at time of application, I shall submit a new Schedule 2 prior to construction when the installer is known;					
<u>OR</u>					
I am the holder of the permit to construct the sewage system, and am submitting a new Schedule 2, now that the installer is known.					
I certify that:					
The information contained in this schedule is true to the best of my knowledge.					
2. If the owner is a cor	2. If the owner is a corporation or partnership, I have the authority to bind the corporation or partnership.				
Date		Signature of applicant			

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act*, 1992, and will be used in the administration and enforcement of the *Building Code Act*, 1992. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.



SCHEDULE 3 – APPLICATION INFORMATION

- 1. Application form, Schedules 1 to 11 must be submitted in triplicate copies.
- 2. Application fees:
 - a) Class 2 & 3 systems and tank replacement: \$346
 - b) Class 4 & 5 systems: ≤ 4000 L/d: \$690
 - c) Class 4 & 5 systems: $\leq 4000 \text{ L/d}$ and $\leq 10000 \text{ L/d}$: \$1,008
 - d) For Certificate of Change (revisions), transfer of permit and additional inspections please refer to fee schedule
- 3. No application will be processed if a copy of the Transfer/Deed of Land or a municipal tax receipt and architectural drawing for the property in question are not enclosed.
- 4. Any changes subsequent to the original application will require that a Certificate of Change and fees be submitted to our office Section 8.(12)(13)(14) of the Building Code Act. Please refer to fee schedule.
- 5. Contact the applicable CA Planning and Engineering department or Township Office if the said property is located in proximity of a waterway, in a zone subject to landslides or unstable slopes. A development permit may be required from the authority Section 8.(2)(a) of the Building Code Act.
- 6. SNC strongly recommends that fencing or equivalent protection encircle any test pit or any septic/holding tank excavation until placement of backfill material, and that tank access lids always be maintained in place. SNC and its agent will not assume any responsibility for negligence relating to these safety measures.
- 7. The operator/owner of the sewage system shall keep it maintained at all times so that its construction remains in accordance with the requirements of the Ontario Building Code. Vehicular traffic (including snowmobiles and ATVs) must not be allowed over the leaching bed. Do not allow roof drains to discharge to the treatment unit or surface waters to drain towards the area of the leaching bed Section 8.9.3.2.(1)(2) of the Ontario Building Code.
- 8. The sewage system permit will be cancelled after twelve (12) months of the date of issuance of the said permit Section 8.(10) (b) (c) of the Building Code Act.
- 9. Tile drainage within 8 meters of the leaching bed must be removed or the lines broken so as to prevent the entry of sewage effluent into the drains. Table 8.2.1.6. B and Section 8.2.1.6.(2) of the Ontario Building Code.
- 10. We recommend that the following trees be kept at a distance of 5 meters for hard maple, elm, ash and evergreen and a distance of 8 meters for silver maple, soft maple, willow family, poplar or any large trees. We may require a letter from the applicant accepting responsibility for any damages caused to or by any trees Section 8.9.3.2.(2) of the Ontario Building Code.
- 11. The building shall be located and the building site graded so that water will not accumulate at or near the building and will not adversely affect any adjacent properties Section 3.1.17.1.(1) of the Ontario Building Code.

12. Where piping may be exposed to freezing conditions, it shall be protected from frost (see Appendix A), Section

7.3.5.5.(1) of the Ontario Building Code.	
Signature of Owner	Date
Signature of agent (if applicable)	



SCHEDULE 4 – SOIL AND WATER TABLE INFORMATION

(Minimum depth of test pit: 2 metres)

Name of applicant/agent:	Inspector:
Name of applicant/agent: Time:	Inspector:
Applicant/agent's signature:	Inspector's signature:
EG () Soil description	T EG () Soil description
.5 m	.5 m
1.0 m	1.0 m
1.5m	1.5m
2.0 m	2.0 m
EG () Soil description	T EG () Soil description
.5m	.5m
1.0 m	1.0 m
1.5m	1.5m
2.0 m	2.0 m
LEGEND	
BR = Bedrock $HGWT = High ground ground ground water table M = Metres$	



SCHEDULE 5- PERMIT APPLICATION / CERTIFICATE OF CHANGE

	PERMIT APPLICATION	CERTIFICATE OF CHANGE					
ĺ.	TYPE OF WORK PROPOSED:						
	New installation	Replacement	Alteration				
2.	TYPE OF WATER SUPPLY (Identify all types). (Check applicable: $P = Proposed$ or $E = Existing$)						
	Drilled well: P E	Sandpoint well: P E	Dug/bored: P E				
	Municipal: P E	River intake: P E	Other:				
3a)	DAILY SEWAGE DESIGN FLOW						
	Bedrooms	House (floor area)	m²				
	Persons	Total fixture units	(Schedule 7)				
	Residential flow L/day	Lot surface area	m²				
3Ь)	DAILY DESIGN FLOW FOR OTHER OCCUPAN	CIES					
	L/day						
	Detailed effluent flow calculations:	<u> </u>					
	_						
	_	-	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~				
4.	TYPE OF TREATMENT UNIT (TANK)	oposed Existing					
	Volume:L	Manufacturer					
		Tertiary: model					
	Effluent Filter/Risers						
	Make	Model:					
5.	TYPE OF SYSTEM						
	Class 2 - LEACHING PIT	Class 3 - CESSPOOL					
	Class 4						
	Conventional/Chambers	Filter Media	Area Bed				
	Shallow Buried	Filter Systems					
	Class 5 – HOLDING TANK						



DISPOSAL FIELD

CONVENTIONAL PIPE	Chambers Make: Model:
☐ 75 mm	Total length: metres
☐ 100 mm	# of runs ofmetres
☐ FILTER BED	
Stone m ²	Sand m ²
Pipem	Quantity of filter media m ³
AREA BED	
Stone m²	Sand m ²
Pipem	Spacingm
☐ FILTER SYSTEMS	
Stone m²	Sand m ² \
Make	Model
☐ SHALLOW BURIED	
Pipe m	Spacingm
PUMP	
Volume calculations	_
Specify discharge rate required:	L/15 mins
Make	Model
☐ DISTRIBUTION BOX/FLOW DIVIDER	
Describe:	
FROST PROTECTION REQUIRED	
YES If YES, describe:	
□ NO	
LOADING RATE CALCULATIONS	
Loading rate:L/m ²	d (Sections 8.7.4.1 and 8.7.5.2 of the Ontario Building Code)
Loading rate/contact area calculations:	$L/d \div L/d \div m^2/d = m^2$
Percolation time of native soil:	
Percolation time of imported leaching bed	fill:
Dimension of excavation: m x	$\underline{\hspace{1cm}}$ m = $\underline{\hspace{1cm}}$ m ²



SCHEDULE 6 AS-BUILT – LAYOUT SECTION (PLAN VIEW)

	And - 1598 Sept Million of the Self-September of the self-sept.	55579604 2 4 - 55 - months in 1994 in 1995 1995 1995 1996	Provide ARY - NOST, To NEW - Pro- ARP ARP AND A	
,				
SEPARATION DISTANCES	(METRES)			
DI	D4	D7	DI0	DI3
D2	D5	D8	DII	DI4
D3	D6	D9	D12	
ELEVATIONS (METRES)				
вм	X2	X4	X6	X8
XI	Х3	X5	X7	
BOTTOM OF PIPES (METRE	s)			
X9	XI0	XII	X12	
I hereby certify that the se	ewage system as described	l in this report was installe	ed in accordance with the i	requirements of the Building
				in this Sewage System Permit.
SIGNATU	IRE OF INSTALLER		BON NUMBER	DATE



SCHEDULE 7

FIXTURE UNIT COUNT

(Ontario Building Code Table 7.4.9.3 and Table 7.4.10.2)

	Fixtures	# Existing	+	# Proposed	x	Unit Count	=	Fixture Count
BATHROOM	Bathroom group (toilet, sink and tub or shower) with flush tank		+	N .	Х	6	=	
	Bathtub with/without overhead shower		+		Х	1.5	Ш	
	Shower stall		+		Х	1.5	=	
	Wash basin (1 1/2 inch trap)		+		Х	1.5	=	
	Watercloset (toilet) tank operated		+		Х	4	=	
	Bidet		+		Х	I _s	=	
KITCHEN	Dishwasher		+		Х	Ĺ	=	
	Sink with/without garbage grinder(s), domestic and other small type single, double or 2 single with a common trap		+		Х	1.5	=	
OTHER	Domestic washing machine		+		Х	1.5	#	
	Combination sink and laundry tray single or double (installed on 1 1/2 trap)		+		Х	1.5		

Insert the TOTAL in section 5 of Schedule 4 (0.Reb.403/97 Table 7.4.9.3).

- 1. Sump pumps and floor drains are not to be connected to the sewage system. Connection of such fixtures to a sewage system may lead to a hydraulic failure of the said system. The above-mentioned fixtures should be discharged separately to an approved Class 2 (leaching pit) sewage system.
- 2. Where laundry waste is not more than 20% of the total daily design sanitary sewage flow, it may discharge to a sewage system (Part 8, OBC, 8.1.3.1(2)).

Agent/Owner's signature:	Date:




SCHEDULE 8 – TYPICAL DRAWING A ABSORPTION TRENCH METHOD

Septic Permit #	Is mantle required: Yes No Street Str		ACH at	* m * - * m * - *
Sand Mantle 15m(min) 1m	— 1.6(min) — FINISHED GRADE	PROPOSED INSTALLATION GRADES	APPROVED INSTALLATION GRADES (OCSSO)	EXISTING GRADE
PROFILE 4 0.6-0.9m SAND FILL SOUTH ONLY O.5m O.5m	m —Geotextile or Paper STONE STONE 0.9m			
m Is clay seal Yes 0.1m Toe of mantle required No (min) WATERTABLE BEDROCK IMPERVIO	OUS SOIL CATION REQUIRED All rights ress in any form a toping, or info	rved. No part of this work covered b or by any means — graphic, electroni ormation retrieval systems — without	by the copyright herein may be rec, or mechanical, including photocomer written permission of the	produced or used copying, recording, e Conservation



SCHEDULE 9 – TYPICAL DRAWING B FILTER MEDIA METHOD






SCHEDULE 10 – TYPICAL DRAWING C AREA BED METHOD

Septic Permit # Date Revision Applicant Municipality Scarification required Yes No		EVENLY SPACED TILE HU RUNS at METRES EACH at METRE CENTRES (1) ER =m ²	890	† † † † † † † † † † † † † † † † † † †
DATE	SAND LAYER =m²			
	7			
NOT TO SCALE			*	
NOT TO SCALE Sand Mantle 15m(min)		PROPOSED	APPROVED.	
Sand Mantle	FINISHED GRADE	PROPOSED INSTALLATION GRADES	APPROVED INSTALLATION GRADES (OCSSO)	EXISTING
Sand Mantle 15m(min) Permeable fill stabilized against erosion	FINISHED GRADE (0.3m recommended)	PROPOSED INSTALLATION GRADES	APPROVED INSTALLATION GRADES (OCSSO)	EXISTING
Sand Mantle 15m(min) Permeable fill stabilized against erosion OFILE	ieotextile (0.3m recommended) 1 0.3m(75 or 100mm pipe)	PROPOSED INSTALLATION GRADES	APPROVED INSTALLATION GRADES (OCSSO)	EXISTING GRADE
Sand Mantle 15m(min) Permeoble fill stabilized against erosion OFILE G	LEAR STONE (0.3m recommended) 0.3m(75 or 100mm pipe) 0.25m(Pressurized)	PROPOSED INSTALLATION GRADES	APPROVED INSTALLATION GRADES (GCSSO)	EXISTIN GRADE
Sand Mantle 15m(min) Permeable fill stabilized against erosion OFILE	LEAR STONE (0.3m recommended) 0.3m(75 or 100mm pipe) 0.25m(Pressurized)	PROPOSED INSTALLATION GRADES	APPROVED INSTALLATION GRADES (OCSSO)	EXISTIN



SCHEDULE 11 - TYPICAL DRAWING D **BIO-FILTER METHOD**

Septic Permit # Date Revision Applicant Municipality Scarification required Yes No	PLAN Is mantle required: Yes No If Yes, in what direction	2361 mm	
DATE	SAND LAYER =m ²		
NOT TO SCALE	,		





SCHEDULE 12 - ONTARIO BUILDING CODE MAINTENANCE AND SERVICING REQUIRMENTS

This information sheet is designed to inform the property owner of the Ontario Building Code requirements for maintenance and servicing of the proposed treatment unit indicated on your design that is used in conjunction with the leaching bed constructed as a shallow buried, Type A or Type B dispersal bed.

Building Code states:

8.9.2.3. Class 4 Sewage Systems

- (1) Every Class 4 sewage system shall be operated in accordance with the literature required by Sentence 8.6.2.2.(6).
- (2) No person shall operate a *treatment unit* other than a *septic tank* unless the person has entered into an agreement whereby servicing and maintenance of the *treatment unit* and its related components will be carried out by a person who,
 - (a) possesses a copy of the literature required by Sentence 8.6.2.2.(6), and
 - (b) is authorized by the manufacturer to service and maintain that type of treatment unit.
- (3) The person authorized by the manufacturer to service and maintain the *treatment unit* and who has entered into the agreement referred to in Sentence (2) with the person operating the *treatment unit* shall notify the *chief building official* if,
 - (a) the agreement is terminated, or
 - (b) access for service and maintenance of the treatment unit is denied by the person operating the treatment unit.

8.9.2.4. Sampling of Treatment Units

- (1) Every person operating a treatment unit that is used in conjunction with a leaching bed constructed as a shallow buried trench, Type A dispersal bed or Type B dispersal bed shall,
 - (a) take a grab sample of the *effluent* to determine the level of CBOD₅ and suspended solids in the *effluent*,
 - (b) carry out the sampling required by Clause (1)(a) in accordance with the methods described in the APHA/AWWA/WEF, "Standard Methods for the Examination of Water and Wastewater", and
 - (c) promptly submit the results of the sampling required by Clause (a) to the *chief building official*.
 - (2) Except as provided in Sentence (4), the sampling required by Sentence (1) shall be conducted,
 - (a) initially, once during the first 12 months after the sewage system was put into use, and
 - (b) thereafter, once during every 12 month period, at least 10 months and not more than 18 months after the previous sampling has been completed.
- (3) The concentration of $CBOD_5$ and suspended solids in the grab sample described in Sentences (1) and (4) is deemed to comply with the maximum concentration requirements set out in Table 8.6.2.2. when it does not exceed 20 mg/L for each of these parameters.
- (4) If the results of the sampling required by Sentence (1) do not comply with Sentence (3), the person operating the *treatment unit* shall,
 - (a) resample the *effluent* in accordance with Clauses (1)(a) and (b) within 6 months after the previous sampling has been completed, and
 - (b) promptly submit the results of the resampling required by Clause (a) to the *chief building official*.

At any time the above requirements are not adhere, the sewage system located on your property will not be in conformity with the building code.	
Signature of property owner	Date