# South Nation Conservation: Watersheds for life.



# **REGULATION POLICIES**

Pursuant to Section 28 of the Conservation Authorities Act, R.S.O. 1990, c. C.27

Ontario Regulation 170/06:
Regulation of Development, Interference with Wetlands and Alterations to Shorelines and Watercourses

August 2019

# Revisions

| Revision No. | Board<br>Approval Date            | Details  |
|--------------|-----------------------------------|--|
| N/A          | October 25, 2006                  | Resolution BD-136/06 on September 27, 2006<br>Minutes BD-147/06 on October 25, 2006        |
| 1            | September 19 <sup>th</sup> , 2019 | Resolution BD-125/19 on August 15, 2019<br>Minutes BD on September 19 <sup>th</sup> , 2019 |

# **Table of Contents**

| 1. Introduction   | 1                    |
|---|----------------------|
| 1.1 Role of South Nation Conservation      1.2 Development, Interference with Wetlands and Alterations to Shorelines a Watercourses Regulation  | and                  |
| 2. Intent   | 4                    |
| 3. Policy Objectives  |                      |
| 4. Regulated Areas  |                      |
| 5. Regulated Activities   | 6                    |
| 6. General Policies to Prohibit or Regulate Development   |                      |
| 6.1 General Policies  | 8<br>9               |
| 7. Specific Policies to Prohibit or Regulate Development  | 10                   |
| 7.1 River or Stream Valleys – Riverine Flooding Hazards 7.2 St. Lawrence River Shoreline 7.3 River or Stream Valleys – Riverine Erosion Hazards 7.4 Wetlands and Areas of Interference 7.5 Inland Lakes 7.6 Hazardous Lands 7.7 Casselman to Lemieux Potential Retrogressive Landslide Area | 10<br>19<br>20<br>22 |
| 8. Policies for the Straightening, Changing, Diverting or Interfering with the  | 1e                   |
| Existing Channel of a River, Creek, Stream, or Watercourse  | 26                   |
| 8.1 Straightening, Changing, Diverting or Interfering with an Existing Channe   | ıl26                 |
| 9. Definitions  | 33                   |
| 10 References   | 38                   |

[page intentionally left blank]



# 1. Introduction

## 1.1 Role of South Nation Conservation

The Ontario government passed the *Conservation Authorities Act* in 1946 in response to severe flooding and erosion experienced throughout the province. The legislation provided terms of reference and guidelines for municipalities to voluntarily establish *watershed* partnerships for managing land and water resources.

The South Nation River Conservation Authority (hereafter called South Nation Conservation or "SNC") has a long, distinguished history. Formed in 1947, it consists of 16-member municipalities comprising portions of the United Counties of Prescott and Russell; United Counties of Stormont, Dundas and Glengarry; United Counties of Leeds and Grenville; and the City of Ottawa. The member municipalities appoint a 13-member Board of Directors to govern SNC's work, set policy, and approve its budget.




Figure 1: South Nation Conservation Jurisdiction



The objects of an authority are to provide, in the area over which it has jurisdiction, programs and services designed to further the conservation, restoration, development and management of natural resources other than gas, oil, coal and minerals.

Conservation Authorities Act, RSO 1990, c. C.27, s. 20

SNC works closely with all levels of government to enhance watershed health by coordinating and implementing a variety of programs and services that seek to:

- facilitate watershed planning;
- reduce flood damage via floodplain mapping and flood forecasting and warning;
- protect water quality and water systems;
- promote forestation through the planting of native tree species and forest management;
- protect natural areas and biodiversity;
- provide environmental education; and
- provide outdoor recreational opportunities.

# 1.2 Development, Interference with Wetlands and Alterations to **Shorelines and Watercourses Regulation**

Ontario Regulation 97/04: Development, Interference with Wetlands and Alterations to Shorelines and Watercourses Regulation allows conservation authorities to prevent or restrict development in areas where the control of flooding, erosion, dynamic beaches, pollution or the conservation of land may be affected by development, to prevent the creation of new hazards or the aggravation of existing ones.

The Conservation Authority can:

- prohibit or regulate development in river or stream valleys, wetlands, shorelines and hazardous lands, and
- prohibit or regulate the straightening, changing, diverting or interfering in any way with the existing channel of a river, creek, stream, watercourse, or for changing or interfering in any way with a wetland.

On May 4, 2006 the Minister of Natural Resources approved SNC's regulations titled Ontario Regulation 170/06 South Nation River Conservation Authority: Development, Interference with Wetlands and Alteration to Shorelines and Waterways Regulation.



Ontario Regulation 170/06 makes SNC permission necessary to undertake development in river or stream valleys, wetlands, shorelines or hazardous lands; alter a river, creek, stream or watercourse; or interfere with a wetland.

SNC may grant permission for proposed work in a Regulated Area if it is demonstrated to SNC's satisfaction that the proposed work will not affect the control of flooding, erosion, dynamic beaches or pollution or the conservation of land.

SNC policies for the administration of Ontario Regulation 170/06 are outlined in Sections 6, 7, and 8. Figure 2 illustrates the legislative context of the policies.

Conservation Authorities Act. R.S.O. 1990, c. C.27 Ontario Regulation 170/06: South Nation River Conservation Authority: Regulation of Development, Interference with Wetlands and Alterations to Shorelines and Watercourses **South Nation Conservation Policies** Regarding Ontario Regulation 170/06

Figure 2: Hierarchy of Legislation and Policies



# 2. Intent

This document seeks to ensure a consistent, timely, and fair approach to the review of applications under Ontario Regulation 170/06. The policies shall guide the decisions of the SNC Board of Directors and inform staff recommendations.

# 3. Policy Objectives

The policy objectives related to administration of Ontario Regulation 170/06 include, but are not limited to:

- prevent loss of life, minimize property damage and social disruption, and avoid public and private expenditure for emergency operations, evacuation and restoration due to natural hazards and associated processes;
- restrict development which, singularly or cumulatively, may restrict riverine channel capacities to pass flood flows, reduce storage capacity in floodplains and wetlands resulting in increased flood levels, and create potential danger to upstream and downstream landowners;
- restrict development of flood and erosion susceptible river or stream valleys
  and shorelines which may increase hazard risk, create new hazards or
  aggravate existing hazards which would in future years require expensive
  protection measures;
- prevent interference with *wetland*s throughout SNC's jurisdiction;
- avoid the degradation and loss of significant natural features and hydrologic functions in river or stream valleys, wetlands, shorelines and hazardous lands, and promote restoration and enhancement, whenever possible;
- prevent pollution of surface and ground waters associated with development in river or stream valleys, wetlands, shorelines and hazardous lands; and
- reduce potential nuisances associated with *development* by limiting the potential for floating objects and debris during flood events.



# 4. Regulated Areas

Ontario Regulation 170/06 applies to:

- i) river or stream valleys;
- ii) wetlands:
- iii) areas where development could interfere with the hydrologic function of a wetland:
- iv) areas adjacent or close to the shoreline of the Great Lakes-St. Lawrence River System or inland lakes; and
- v) hazardous lands.

The Regulated Area represents the greatest extent of the combined hazards plus any prescribed allowance as described in Ontario Regulation 170/06.

Areas regulated under Ontario Regulation 170/06 have been mapped according to the criteria and standards outlined in the Guidelines for Developing Schedules of Regulated Areas (October 2005) as approved by the Ontario Ministry of Natural Resources and Forestry and Conservation Ontario. Existing mapping is accurate to the scale at which the mapping was undertaken. Modifications to the extent of the Regulated Area may be made where more detailed studies determine a more precise boundary.

Ontario Regulation 170/06 applies to all Regulated Areas. Current maps may not delimit the full extent of areas regulated by Ontario Regulation 170/06.

Works requiring a permit under Ontario Regulation 170/06 may require landowner permission and may be subject to legislation, policies and standards administered by other agencies including, but not limited to, the provincial Planning Act, Drainage Act, Ontario Water Resources Act, Environmental Assessment Act, Public Lands Act, Lakes and Rivers Improvement Act, and the federal Fisheries Act.

The Ministry of Natural Resources and Forestry and the Department of Fisheries Oceans Canada prohibit in water works on the St. Lawrence River, Ottawa River, and the lower South Nation River to Plantagenet weir between March 15 and July 15 of any given year. In water works are prohibited on the remainder of the South Nation River and its tributaries between March 15 and June 30 of any given year.

SNC permission to undertake work does not preclude compliance with other applicable municipal by-laws, legislation, and regulations. Conversely, approval of work under other applicable municipal by-laws, legislation, and regulations do not preclude compliance with Ontario Regulation 170/06. It is the responsibility of the applicant to ensure that all necessary approvals are obtained prior to undertaking any works that require a permit under Ontario Regulation 170/06.



# 5. Regulated Activities

Ontario Regulation 170/06 grants SNC the mandate to prohibit or regulate *development* in river or stream valleys, wetlands, St. Lawrence River shoreline, inland lakes, and hazardous lands within the South Nation River Watershed.

#### Development means:

- the construction, reconstruction, erection or placing of a building or structure of any kind;
- any change to a building or structure that would have the effect of altering
  the use or potential use of the building or structure, increasing the size of
  the building or structure or increasing the number of dwelling units in the
  building or structure;
- · site grading; or
- the temporary or permanent placing, dumping or removal of any material, originating on the site or elsewhere.
- Conservation Authorities Act, R.S.O. 1990, c. C.27, ss. 28 (25)

Ontario Regulation 170/06 also grants SNC the authority to prohibit or regulate *alterations* which would result in the straightening, changing, diverting or interfering in any way with the channel of a river, *creek*, *stream*, *watercourse*, or changing or interfering in any way with a *wetland*.

SNC may not require permission for the following activities, including but not limited to:

- i. non-habitable *accessory buildings* associated with existing residential uses less than 10 m<sub>2</sub> (108 ft<sub>2</sub>);
- ii. maintenance and upkeep of buildings and structures which do not change the existing footprint (e.g. *replacement* of windows, siding, roofs, stairs, etc.);
- iii. unenclosed structures associated with *existing uses* including, but not limited to decks, gazebos, and patios;
- iv. non-structural agricultural uses such as cropping, and pasturing;
- v. on-going maintenance to stormwater management facilities that would not affect the control of flooding, erosion, *pollution* or the *conservation of land*;
- vi. municipal water monitoring wells that would not affect the control of flooding, erosion, pollution or the conservation of land; or
- vii. other non-structural uses such as gardens, nurseries, open arboretums and forestry/wildlife management.



#### **Permits**

Development in areas described in Ontario Regulation 170/06 requires a permit from SNC. Each application shall be evaluated on its own merits, on a case-by-case basis, consistent with the policies outlined in Sections 6, 7, and 8.

Application forms are available at SNC's Head Office and website (www.nation.on.ca/development/find-form).

Applications may be brought before the SNC Board of Directors in accordance with the South Nation Conservation Hearing Guidelines. A decision of the SNC Board of Directors may be appealed to the Mining and Lands Tribunal of Ontario.

#### **Enforcement**

Development and/or interference undertaken in Regulated Areas without SNC permission are in violation of the Conservation Authorities Act. Every person who contravenes Ontario Regulation 170/06 may be subject to a fine of not more than \$10,000 or to a term of imprisonment of not more than three months (Conservation Authorities Act, R.S.O. 1990, c. C.27, ss. 28 (16)).

If convicted, the party may be ordered to remove the development/interference at their own expense. The party may also be subject to a court order to rehabilitate the impacted area (Conservation Authorities Act, R.S.O. 1990, c. C.27, ss. 28 (17)).



# 6. General Policies to Prohibit or Regulate Development

#### 6.1 General Policies

- 6.1.1 *Development, interference* or *alteration* shall not be permitted within a *Regulated Area*, except in accordance with Sections 6, 7, and 8.
- 6.1.2 Development, interference or alteration within a Regulated Area may be permitted where it is demonstrated through appropriate technical studies and/or assessments, site plans and/or other plans as required by SNC that:
  - a) the risk to public safety is not increased;
  - b) susceptibility to natural hazards is not increased or new hazards created;
  - c) there are no adverse hydraulic or fluvial impacts on rivers, creeks, streams, or watercourses;
  - d) there are no adverse impacts on the natural shoreline processes of the Great Lakes-St. Lawrence River System and inland lakes;
  - e) placing and removing fill is minimized;
  - f) there are no adverse hydrologic impacts on provincially significant wetlands;
  - g) pollution, sedimentation and erosion during construction and post construction is minimized using best management practices including site, landscape, infrastructure and/or facility design (whichever is applicable based on the scale and scope of the project), construction controls, and appropriate remedial measures:
  - h) access for emergency works and maintenance of flood or erosion control works is available:
  - works are constructed, repaired and/or maintained according to accepted engineering principles and approved engineering standards or to the satisfactions of SNC, whichever is applicable based on the scale and scope of the project; and
  - the control of flooding, erosion, dynamic beaches, pollution or the conservation of land is not adversely affected during and post development, interference or alteration.
- 6.1.3 Notwithstanding Section 6.1.1, *development, interference* or *alteration* in a *Regulated Area* may be permitted subject to policies specified in Sections 7 and 8.
- 6.1.4 Applications for permission to undertake *development*, *interference* or *alteration* in *Regulated Areas* shall be accompanied by appropriate technical studies and/or assessments, site plans and/or other plans as required by SNC. These studies/plans shall demonstrate, to the satisfaction of SNC, how the applicable policies in Sections 6, 7, and 8 are met.



6.1.5 Technical studies and/or assessments, site plans and/or other plans submitted as part of an application for permit to undertake development, interference or alteration in Regulated Areas shall be completed at the applicant's expense by a qualified professional to the satisfaction of SNC.

#### 6.2 Prohibited Uses

- 6.2.1 Notwithstanding Section 6.1, development shall not be permitted within a Regulated Area where the use is:
  - a) an institutional use associated with hospitals, nursing homes, pre-school, nurseries, day care or schools, where there is a threat to the safe evacuation of the sick, the elderly, persons with disabilities or the young;
  - b) an essential emergency service such as fire, police, ambulance or electrical substation;
  - c) associated with the disposal, manufacture, treatment, transfer or storage of hazardous substances;
  - d) associated with the outdoor storage of any materials, either temporary or permanent; or
  - e) associated with an assisted living facility.

# 6.3 Validity of Permits

- 6.3.1 A permit issued by SNC shall be valid for 24 months (2 years).
- 6.3.2 Notwithstanding Section 6.3.1, a permit issued by SNC may be valid for a period up to 60 months (5 years) for large-scale public infrastructure where it is demonstrated that multiple approvals taking greater than 24 months (2 years) are required.



# 7. Specific Policies to Prohibit or Regulate Development

# 7.1 River or Stream Valleys – Riverine Flooding Hazards

## Defining the Riverine Flooding Hazard

Flooding of *river* or *stream* systems typically occur following the spring freshet and may occur again due to extreme rainfall events in the summer or fall. *River*s naturally accommodate flooding within their valleys. Historical *development* occurred in floodplains due to the availability of water for power, transportation, energy, waste assimilation, and domestic and industrial consumption. However, floodplain *development* is susceptible to flooding that can result in property damage and/or loss of life.

The South Nation River Watershed *Riverine Flooding Hazard* is established via the Provincially mandated *100 Year Flood Event Standard* (hereafter referred to as the *Regulatory Flood*).

The Regulated Area along a river or stream system is generally determined by adding a 15 metre (50 ft) allowance to the extent of the furthest landward Riverine Flooding Hazard (**Figure 3**). Regulated Areas within SNC's jurisdiction associated with the Riverine Flooding Hazard are One-Zone Policy Areas.




Figure 3: Riverine Flooding Hazard – Regulated Area for One-Zone Policy Areas

#### Policies for One-Zone Policy Areas

The following policies apply to *development* proposed in a *One-Zone Policy Area* subject to a *Riverine Flooding Hazard*.

7.1.1 *Development* shall not be permitted within the *Riverine Flooding Hazard* except in accordance with Section 6.1 and Sections 7.1.2 - 7.1.29.



## **Development**

- 7.1.2 *Development* within a *Riverine Flooding Hazard* may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) there is no feasible alternative site outside the Riverine Flooding Hazard;
  - b) *floodproofing* of additions is undertaken to the extent practical where *floodproofing* to the elevation of the *Regulatory Flood* is not feasible;
  - c) floodproofing of new buildings or structures sets the lowest opening to be 0.3 metres above the elevation of the Regulatory Flood;
  - d) there is no risk of structural failure due to potential hydrostatic/dynamic pressures; and
  - e) safe access is established.

#### Residential

- 7.1.3 Ground floor additions to residential buildings or structures may be permitted in accordance with Section 7.1.2 and where it is demonstrated that:
  - a) the ground floor addition will have a maximum footprint of 50 m² (538 ft²) or, in the case of multiple additions, all additions combined will have a maximum footprint of 50 m² (538 ft²);
  - b) the number of dwelling units is the same;
  - c) all habitable floor space is at or above the existing ground floor elevation; and
  - d) any proposed basement or crawl space is designed to facilitate services only and is not *habitable floor space*.
- 7.1.4 An additional storey to residential buildings or structures may be permitted in accordance with Section 7.1.2 and where it is demonstrated that the number of *dwelling* units is the same.
- 7.1.5 *Replacement* of damaged or destroyed residential buildings or structures may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) the building or structure to be replaced is relocated outside the *Riverine Flooding Hazard* or where this is not feasible, the building or structure is relocated to an area within the existing lot where the risk of flooding and property damage is reduced to the greatest extent, wherever possible;
  - b) the number of *dwelling units* is the same or less;
  - c) the replacement building or structure shall be less than or equal to the original footprint;
  - d) the building or structure has floodproofing to standards set by the Ministry of Natural Resources Technical Guide - River and Stream Systems: Flooding Hazard Limit (2002);



- e) any proposed basement or crawl space is designed to facilitate services only and is not habitable floor space:
- f) electrical, mechanical and heating services are located above the level of the Regulatory Flood, wherever possible; and
- a) there is no risk of structural failure due to potential hydrostatic/dynamic pressures.

Notwithstanding the foregoing, no permit for *replacement* shall be issued after the expiry of 60 months (five years) from the date when the structure was damaged or destroyed. Replacement does not include reconstruction of remnant foundations.

- 7.1.6 Relocation of residential buildings and structures may be permitted in accordance with Section 7.1.5 provided that the risk of flooding and property damage is reduced to the greatest extent possible.
- 7.1.7 Non-Habitable accessory buildings or structures associated with an existing residential use such as detached garages, tool sheds, and other similar structures, may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) there is no feasible alternative site outside the *Riverine Flooding Hazard*;
  - b) the building or structure is greater than 10 m<sup>2</sup> (108 ft<sup>2</sup>);
  - c) the building or structure is securely anchored such that it does not break free and aggravate flooding;
  - d) floodproofing is undertaken to the extent practical, where floodproofing to the elevation of the Regulatory Flood is not feasible; and
  - e) there is no opportunity for conversion into habitable floor space.
- 7.1.8 Above or below ground swimming pools may be permitted in accordance with Section 6.1, and provided that:
  - a) floodproofing of electrical facilities to the elevation of the Regulatory Flood is undertaken; and
  - b) all fill, except that approved for landscaping, is removed from the Riverine Flooding Hazard.

#### Commercial/Industrial/Institutional

- 7.1.9 Additions to commercial/industrial/institutional buildings or structures may be permitted in accordance with Section 7.1.2 and where it is demonstrated that:
  - a) the addition will have a maximum footprint of 100 m<sup>2</sup> (1,076 ft<sup>2</sup>) or, in the case of multiple additions, all additions combined will have a maximum footprint of 100 m<sup>2</sup> (1,076 ft<sup>2</sup>); and
  - b) any proposed basement or crawl space is designed to facilitate services only and is not habitable floor space.



- 7.1.10 Accessory buildings or structures associated with commercial/industrial/ institutional uses may be permitted in accordance with Section 7.1.2 and where it is demonstrated that:
  - a) the building or structure is greater than 10 m<sup>2</sup> (108 ft<sup>2</sup>);
  - b) the building or structure is securely anchored such that it does not break free and aggravate flooding; and
  - c) any proposed basement or crawl space is designed to facilitate services only and is not habitable floor space.
- 7.1.11 Replacement of damaged or destroyed commercial buildings or structures may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) the building or structure to be replaced is relocated outside the Riverine Flooding Hazard or where this is not feasible, the building or structure is relocated to an area within the existing lot where the risk of flooding and property damage is reduced to the greatest extent, wherever possible;
  - b) the replacement building or structure shall be less than or equal to the original footprint;
  - c) proposed basement or crawl space is designed to facilitate services only and is not habitable floor space;
  - d) electrical, mechanical and heating services are located above the level of the Regulatory Flood, wherever possible; and
  - e) the risk of structural failure due to potential hydrostatic/dynamic pressures has been addressed through an appropriate study or review by a qualified professional.

Notwithstanding the foregoing, no permit for *replacement* shall be issued after the expiry of 60 months (five years) from the date when the building or structure was damaged or destroyed. Replacement does not include reconstruction of remnant foundations.

7.1.12 Above ground parking lots associated with existing uses located wholly or partially within the Riverine Flooding Hazard may be permitted in accordance with Section 7.1.2 and where it is demonstrated that the risk of property damage is minimized through site design and flood emergency plans.

#### Internal Renovations

- 7.1.13 Internal renovations to buildings or structures which change the use or potential use of the building or structure but provide for no additional dwelling units may be permitted provided that:
  - a) the internal renovation does not result in a new use prohibited by Section 6.2;
  - b) electrical, mechanical and heating services are located above the level of the Regulatory Flood, wherever practically possible; and



c) the risk of structural failure due to potential hydrostatic/dynamic pressures has been addressed through an appropriate study or review by a qualified professional.

#### Septic Systems

- 7.1.14 Replacement of septic systems may be permitted within the Riverine Flooding Hazard, in accordance with Section 6.1 where there is no feasible alternative site outside the Riverine Flooding Hazard and where it is demonstrated that:
  - a) the placement of fill associated with the septic system does not have an impact on the control of erosion, pollution, or the conservation of land;
  - b) the septic system design establishes the distribution pipes at or above the Riverine Flooding Hazard;
  - c) the septic system is flood-proofed using a watertight cap to prevent ingress of flood waters to the main tank as well as appropriate valves to prevent back flow; and
  - d) the septic system is designed to withstand lateral and buoyant pressures associated with floodwaters.
- 7.1.15 New septic systems may be permitted within the Riverine Flooding Hazard in accordance with Section 6.1 where there is no feasible alternative site outside the Riverine Flooding Hazard and where it is demonstrated that:
  - a) the placement of fill associated with the septic system does not have an impact on the control of flooding, erosion, pollution, or the conservation of land;
  - b) the septic system design establishes the stone layer at or above the *Riverine* Flooding Hazard;
  - c) the septic system is flood-proofed using a watertight cap to prevent ingress of flood waters to the main tank as well as appropriate valves to prevent back flow; and
  - d) the septic system is designed to withstand lateral and buoyant pressures associated with floodwaters.

#### Wells

7.1.16 A drilled well may be permitted within the Riverine Flooding Hazard in accordance with Section 6.1 where there is no feasible alternative site outside of the Riverine Flooding Hazard and the well casing is designed to an elevation of 0.3 metres above the Regulatory Flood.



#### **Public Infrastructure**

- 7.1.17 Public infrastructure including but not limited to, roads, sanitary sewers, utilities, water and sewage treatment plants, water supply wells, well houses, and pipelines may be permitted in accordance with Section 6.1 where there is no feasible alternative site outside the Riverine Flooding Hazard as determined through an Environmental Assessment or other comprehensive plan supported by SNC, and where it is demonstrated that:
  - a) adverse hydraulic or fluvial impacts are limited and any risk of flood damage to upstream or downstream properties is not increased or is minimized through site design and the affected landowner(s) is informed of the increased risk; and
  - b) there is no loss of flood storage wherever possible.
- 7.1.18 The maintenance and repair of public infrastructure may be permitted in accordance with Section 6.1 and where it is demonstrated that where unavoidable. intrusions on significant natural features or hydrologic functions are minimized and it is demonstrated that best management practices including site and infrastructure design and appropriate remedial measures adequately restore and enhance features and functions.

#### **Recreational Uses**

- 7.1.19 Recreational uses such as passive parks, trails and river access points and other uses deemed appropriate by SNC, but not including new campgrounds, new golf courses or expansions to golf courses, marinas or permanent docks may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) there is no feasible alternative site outside the Riverine Flooding Hazard:
  - b) there is no loss of flood storage;
  - c) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized and it is demonstrated that best management practices including site, facility and/or landscape design and appropriate remedial measures adequately restore and enhance features and functions; and
  - d) the risk of property damage is minimized through site and facility design and flood emergency plans.
- 7.1.20 Marinas and permanent docks may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) there is no measurable loss of flood storage;
  - b) facilities are designed to take advantage of existing impacted or open areas on the channel bank, wherever possible:
  - c) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized and it is demonstrated that best management practices



- including site, facility and/or landscape design and appropriate remedial measure adequately restore and enhance features and functions; and
- d) the risk of property damage is minimized through site and facility design and flood emergency plans.
- 7.1.21 Golf courses or golf course expansions may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - all associated permanent, closed structures including clubhouses, washrooms with septic systems and maintenance buildings are located outside of the Riverine Flooding Hazard;
  - b) there is no loss of flood storage;
  - c) watercourse crossings are minimized and designed in accordance with Section 8.1.2;
  - d) the risk of property damage is minimized through site and facility design and flood emergency plans; and
  - e) the risk of *pollution* from the application of fertilizers, herbicides, pesticides or insecticides or other chemical or organic compounds is minimized and addressed in a turf management plan.

## **Dug-Out/Isolated Ponds**

- 7.1.22 A new *Dug-Out or Isolated Pond* or a redesign of a *Dug-Out or Isolated Pond* may be permitted in the *Riverine Flooding Hazard* in accordance with Section 6.1 and where it is demonstrated that:
  - a) the pond is located outside of the Riverine Erosion Hazard; and
  - b) finished side slopes are stable.
- 7.1.23 Dredging of a *Dug-Out or Isolated Pond* may be permitted where it is demonstrated that:
  - a) all dredged material is removed from the *Riverine Flooding Hazard* and the *Riverine Erosion Hazard*;
  - b) finished side slopes are stable;
  - c) natural function is restored and enhanced to the extent possible; and
  - d) the risk of *pollution* and sedimentation during dredging operations is minimized.

## **Agricultural Structures**

7.1.24 Additions to agricultural buildings or structures may be permitted in accordance with Subsections 7.1.2 a), b), and d) and where it is demonstrated that:



- a) the addition will have a maximum footprint of 100 m<sup>2</sup> (1,076 ft<sup>2</sup>), or in the case of multiple additions, all additions combined will have a maximum footprint of 100 m<sup>2</sup> (1,076 ft<sup>2</sup>);
- b) any proposed basement or crawl space is designed to facilitate services only and is not *habitable floor space*; and
- c) floodproofing is undertaken to the extent practical where floodproofing to the elevation of the Regulatory Flood is not feasible.
- 7.1.25 Accessory buildings or structures associated with agricultural uses may be permitted in accordance with Subsections 7.1.2 a), b), and d) and where it is demonstrated that:
  - a) electrical, mechanical and heating services are located above the level of the Regulatory Flood, wherever possible;
  - b) the building or structure is securely anchored such that it does not break free and aggravate flooding;
  - c) any proposed basement or crawl space is designed to facilitate services only and is not *habitable floor space*; and
  - d) floodproofing is undertaken to the extent practical where floodproofing to the elevation of the Regulatory Flood is not feasible.
- 7.1.26 Replacement of damaged or destroyed agricultural buildings or structures may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) the building or structure to be replaced is relocated outside the Riverine Flooding Hazard or where this is not feasible, the building or structure is relocated to an area within the existing lot where the risk of flooding and property damage is reduced to the greatest extent, wherever possible;
  - b) the replacement building or structure shall be less than or equal to the original footprint;
  - c) proposed basement or crawl space is designed to facilitate services only and is not habitable floor space;
  - d) electrical, mechanical and heating services are located above the level of the Regulatory Flood, wherever possible; and
  - e) the risk of structural failure due to potential hydrostatic/dynamic pressures has been addressed through an appropriate study or review by a qualified professional.

Notwithstanding the foregoing, no permit for *replacement* shall be issued after the expiry of 60 months (five years) from the date when the building or structure was damaged or destroyed. Replacement does not include reconstruction of remnant foundations.



- 7.1.27 Relocation of agricultural buildings and structures may be permitted in accordance with Section 7.1.25 provided that the risk of flooding and property damage is reduced to the greatest extent possible.
- 7.1.28 Agricultural Structures which reduce risks associated with erosion or *pollution* or promote the *conservation of land* may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) there is no feasible alternative site outside the Riverine Flooding Hazard;
  - b) the risk of property damage is minimized through site design and flood emergency plans; and
  - c) floodproofing is undertaken to the extent practical, where floodproofing to the elevation of the Regulatory Flood is not feasible.
- 7.1.29 A residence that is integral to agricultural operations shall have *floodproofing* to SNC's satisfaction.



#### 7.2 St. Lawrence River Shoreline

## St. Lawrence River Shoreline Flooding Hazard

The St. Lawrence River shoreline of the partner municipalities of Augusta, Edwardsburgh/Cardinal, and South Dundas comprise part of SNC's jurisdiction. Flooding from the St. Lawrence River affects the entire shoreline area.

The St. Lawrence River Flooding Hazard limit is based on the 100 Year Event Standard with additional allowances for wave uprush and other water-related hazards.

The Regulated Area along the St. Lawrence River shoreline generally consists of a 15 metre (50 ft) allowance added to the furthest landward extent of the flooding hazard as well as a further 5 metre (16 ft) allowance for wave uprush and other water-related hazards.

#### Policies for St. Lawrence River Shoreline

7.2.1 Development within the *Regulated Area* associated with the St. Lawrence River shoreline shall not be permitted except in accordance with Sections 6.1 and 7.1.

# 7.3 River or Stream Valleys – Riverine Erosion Hazards

#### Riverine Erosion Hazards

Erosion is a natural process of soil loss due to human or natural processes. The *Riverine Erosion Hazard* within *river* or *stream* valleys is that area of *river* bank and lands adjacent to *watercourses* where erosion is actively occurring and/or where *development* could *create* slope stability issues.

The *Riverine Erosion Hazard* applies to those portions of the *valleyland* system that are both apparent (confined) and not apparent (unconfined). The extent of the hazard varies and is dependent on the characteristics of the bedrock and soils which comprise the valley slope, the degree to which the valley slope is stable or unstable, and whether the valley slope is subject to active erosion. Valley systems are apparent or confined where valley walls are greater than 3 metres (10 feet), with or without a floodplain.

The Regulated Area of a Riverine Erosion Hazard is generally determined by the 100 Year Erosion Rate plus any additional allowances for slope stability and a further 15 metre allowance.

## Policies for Riverine Erosion Hazards and the Associated Allowance

7.3.1 Development shall not be permitted within the Riverine Erosion Hazard and the associated allowance except in accordance with Section 7.3.2.



## **Development in the Riverine Erosion Hazard Allowance**

- 7.3.2 Development within the Riverine Erosion Hazard Allowance may be permitted in accordance with Section 6.1 and where a site-specific geotechnical or engineering assessment based on established provincial guidelines and an appropriate factor of safety against slope failure or slipping establishes a more precise Riverine Erosion Hazard limit, and where it is demonstrated that:
  - a) there is no feasible alternative site outside the Regulated Area;
  - b) the proposed *development* is not subject to a *Riverine Erosion Hazard* or a *Riverine Flooding Hazard*;
  - c) there is no impact on existing and future slope stability;
  - d) the risk of creating new *Riverine Erosion Hazards* or aggravating existing *Riverine Erosion Hazards* caused by the *development* is *negligible*;
  - e) the potential of increased loading forces on the top of the slope is addressed through appropriate structural design;
  - f) the potential for surficial erosion is addressed by a drainage plan; and
  - g) access into and through the valley for preventative actions or maintenance or during an emergency is not prevented.

## 7.4 Wetlands and Areas of Interference

#### Areas of Interference

The areas surrounding *provincially significant wetlands* where *development* could interfere with the *hydrologic function* of the *provincially significant wetland* are called *areas of interference*. This is the land within 120 metres (394 feet) of the boundaries of *Provincially Significant Wetlands* (**Figure 4**).

Provincially significant wetlands and their associated areas of interference are regulated under Ontario Regulation 170/06. Any development or interference within provincially significant wetlands or development in areas of interference requires SNC permission.

#### Policies for Provincially Significant Wetlands and Areas of Interference

7.4.1 Development/Interference within a provincially significant wetland or development within an area of interference shall not be permitted except in accordance with Section 6.1 and Sections 7.4.2 - 7.4.7.






Figure 4: Provincial Significant Wetlands and Associated Areas of Interference

## **Development/Interference within Provincially Significant Wetlands**

- 7.4.2 Public Infrastructure including but not limited to, roads, sanitary sewers, utilities, water supply wells, well houses, and pipelines, within a provincially significant wetland may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) an Environmental Assessment or other comprehensive plan supported by SNC, demonstrates that all alternatives to avoid wetland loss or interference have been considered and that the proposed alignment minimizes wetland loss or interference to the greatest extent possible; and
  - b) where unavoidable, intrusions on significant natural features or hydrologic functions or ecological functions are minimized, and it is demonstrated that best management practices including site and infrastructure design and appropriate remedial measures will adequately restore and enhance features and functions.
- 7.4.3 Where an Environmental Assessment or other comprehensive plan is available and supported by SNC, SNC may request a more detailed site-specific study consistent with the comprehensive plan. This study will determine a more precise area wetland boundary in accordance with the current Provincial Wetland Evaluation System and demonstrate how the hydrologic functions and ecological functions of the wetland will be restored and enhanced.

#### **Development within Areas of Interference**

7.4.4 Development within an area of interference less than or equal to 120 metres (394 feet) from a provincially significant wetland may be permitted in accordance with Section 6.1 and a wetland impact study and where it is demonstrated that all development is



located outside of the provincially significant wetland and maintains as much setback as feasible.

- 7.4.5 Peat Extraction within an area of interference may be permitted where a wetland impact study demonstrates that policies in Section 6.1 are met and the affected area is rehabilitated to restore and enhance natural features and functions.
- 7.4.6 A wetland impact study may not be required in an area of interference 120 metres (394 ft) from a provincially significant wetland if, in the opinion of SNC, the potential hydrologic impacts of the proposed development are negligible. This includes but is not limited to, single family residences, additions and accessory structures for which less than one (1) hectare (2.5 acres) is required for grading.

## **Conservation Projects within Wetlands and Areas of Interference**

7.4.7 Wetland conservation projects within provincially significant wetlands and areas of interference may be permitted where a wetland impact study demonstrates how the hydrologic functions and ecological functions will be protected, created, restored and/or enhanced.

#### 7.5 Inland Lakes

Lands that are adjacent or close to the shorelines of inland lakes and/or that respond to a single runoff event could be affected by flooding or erosion are within the jurisdiction of SNC. Any *development* proposed adjacent to an inland lake shall require permission from SNC.

- 7.5.1 Development along inland lake shorelines that are impacted by flooding or erosion hazards shall not be permitted except in accordance with Sections 6.1, 7.1, and 7.3.
- 7.5.2 Notwithstanding Section 7.5.1, development shall not be permitted for the uses described in Section 6.2.

#### 7.6 Hazardous Lands

Development within hazardous lands requires permission from SNC.

Hazardous land is land that may be unsafe for development because of naturallyoccurring processes associated with flooding, erosion, dynamic beaches or unstable soil or bedrock (Conservation Authorities Act, R.S.O. 1990, c. C.27, ss. 28 (25)).

Hazardous lands in the South Nation River watershed unrelated to flooding include, but are not limited to, organic soils, unstable bedrock (karst), and sensitive marine clays (Leda clay).



#### Organic Soils

Organic (peat soils) are formed by the decomposition of vegetative and organic materials into humus can release humic acids to the ground water system and create highly combustible methane gas. Peat and other organic soils also lack soil structure making them susceptible to erosion and unable to support structure because they compress easily.

#### Unstable Bedrock

Unstable bedrock includes, but is not limited to, areas identified as karst formations. Karst formations may be present in limestone or dolomite bedrock and are extremely variable in nature. Local, site-specific studies are required for identifying karst formations.

# Sensitive Marine Clay (Leda Clay)

Sensitive marine clays, also known as Leda clays, are clays deposited as sediment by the Champlain Sea during the last glacial period. Undisturbed, the clays appear solid and stable. However, when disturbed by excessive vibration, shock or when they become saturated with water, the clays can turn to liquid. The resulting failures or earthflows can be sudden and catastrophic.

#### Policies for Hazardous Lands

7.6.1 *Development* within *hazardous land*s shall not be permitted except in accordance with Section 7.6.2.

#### **Development in Hazardous Lands**

7.6.2 Development may be permitted within hazardous lands in accordance with Section 6.1 and where a technical site-specific study and/or an Environmental Impact Study done by a qualified professional establishes a more precise hazard land boundary and where it is demonstrated that:

- a) there is no feasible alternative site outside the Regulated Area; and
- b) the risk of instability which would result in structural failure or property damage is minimized.

#### **Prohibited Uses in Hazardous Lands**

7.6.3 Notwithstanding Section 7.6.2, *development* shall not be permitted in *hazardous lands* for the uses described in Section 6.2.



# 7.7 Casselman to Lemieux Potential Retrogressive Landslide Area

The banks of the South Nation River between the villages of Casselman and Lemieux contain sensitive marine clay (Leda clay) that are prone to large-scale retrogressive landslides. The area is identified as the *Potential Retrogressive Landslide Area* (**Figure 5**).




Figure 5: Casselman to Lemieux Retrogressive Landslide Area

The most recent large-scale landslide occurred on June 20, 1993 at the site of the former town of Lemieux, two years after the town was abandoned and the residents relocated. The landslide dammed the river and consumed 17 hectares of land next to the former town site (**Figure 6**). A previous large-scale landslide occurred in 1971, approximately 4.5 kilometers upriver from the 1993 event.



Figure 6: 1993 Lemieux Retrogressive Landslide

# Policies for the Potential Retrogressive Landslide Area

- 7.7.1 Development within the Potential Retrogressive Landslide Area shall not be permitted.
- 7.7.2 Development within 30 metres (100 ft) of the Potential Retrogressive Landslide Area shall not be permitted except in accordance with Section 7.7.3.
- 7.7.3 Development may be permitted within 30 metres (100 ft) of the Potential Retrogressive Landslide Area in accordance with Section 6.1 where it is demonstrated that there is no feasible alternative site greater than 30 metres (100 ft) from the Potential Retrogressive Landslide Area and where the applicant provides a geotechnical report by a qualified professional to the satisfaction of SNC.

#### **Prohibited Uses**

7.7.4 Notwithstanding Section 7.8.3, *development* shall not be permitted within 30 metres (100 ft) of the *Potential Retrogressive Landslide Area* for the uses described in Section 6.2.



# 8. Policies for the Straightening, Changing, Diverting or Interfering with the Existing Channel of a River, Creek, Stream, or Watercourse

# 8.1 Straightening, Changing, Diverting or Interfering with an Existing Channel

Any alteration to the channel of a river, creek, stream or watercourse requires permission from SNC. This includes activities such as, but not limited to:

- culvert placement or replacement,
- bridge construction;
- bed level crossings;
- piping of watercourses;
- installation or maintenance of pipeline crossings;
- cable crossings;
- construction or maintenance of by-pass;
- connected or online ponds;
- straightening and diversions; and
- any work on the bed or the banks of the watercourse such as bank protection projects.
- 8.1.1 Straightening, changing, diverting or interfering with existing river, creek, stream or watercourse is not permitted except in accordance with Section 6.1 and Sections 8.1.2 -8.1.18.

#### Crossings

- 8.1.2 Crossings including, but not limited to, bridges, culverts, pipelines, channel enclosures of less than 20 metres (66 feet) and causeways may be permitted to be constructed, replaced or upgraded in accordance with Section 6.1 and Sections 7.1.17 -7.1.19 and/or Section 7.1.22, where appropriate, and provided that all feasible alternative sites and alignments have been considered through an Environmental Assessment supported by SNC or through site-specific studies, whichever is applicable based on the scale and scope of the project, and where it is demonstrated that:
  - a) crossings avoid any bends in the *watercourse* to the extent practical;
  - b) crossings are located to take advantage of existing impacted or open areas on the channel bank or valley slope, wherever possible;
  - c) crossing structures avoid the Riverine Erosion Hazard to accommodate natural watercourse movement, wherever possible;



- d) the risk of flood damage to upstream or downstream properties is reduced through site and infrastructure design, wherever possible:
- e) there is no inhibition of fish passage;
- f) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized and it is demonstrated that best management practices including site and infrastructure design and appropriate remedial measures will adequately restore and enhance features and functions;
- g) physical realignments or alterations to the river, creek, stream or watercourse channel associated with a new crossing are avoided or are in accordance with Section 8.1.16; and
- h) maintenance requirements are minimized.

#### Water Control Structures

- 8.1.3 Water Control Structures to protect existing development or other uses deemed appropriate by SNC from the Riverine Flooding Hazard including dykes and berms, but not dams, may be permitted to be constructed maintained or repaired in accordance with Section 6.1 and where it is demonstrated that:
  - a) all feasible alignments have been considered through an *Environmental* Assessment supported by SNC or other site-specific technical studies, whichever is applicable based on the scale and scope of the project; and
  - b) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized, and it is demonstrated that best management practices including site and infrastructure design and appropriate remedial measures will adequately restore and enhance features and functions.

#### **Dams**

- 8.1.4 *Dams* may be permitted where it is demonstrated that:
  - a) all feasible alternative sites and alignments have been considered through an Environmental Assessment supported by SNC or through site-specific studies, whichever is applicable based on the scale and scope of the project;
  - b) the water management benefits of the dam are demonstrated to the satisfaction of SNC:
  - c) pollution, sedimentation and erosion during construction and post construction are minimized using best management practices including site, landscape, infrastructure design, construction controls, and appropriate remedial measures;
  - d) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized, and it is demonstrated that best management practices including site and infrastructure design and appropriate remedial measures will adequately restore and enhance features and functions; and



- e) works are constructed according to accepted engineering principles and approved engineering standards or to the satisfaction of SNC, whichever is applicable based on the scale and scope of the project.
- 8.1.5 Alterations<sup>1</sup> to *Dams* may be permitted where it is demonstrated that:
  - a) pollution, sedimentation and erosion during construction and post construction are minimized using best management practices including site, landscape, infrastructure design, construction controls, and appropriate remedial measures;
  - b) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized, and it is demonstrated that best management practices including site and infrastructure design and appropriate remedial measures will adequately restore and enhance features and functions;
  - there are no adverse impacts on the capacity of the structure to pass flows;
  - d) the integrity of the original structure is maintained or improved; and
  - e) works are altered according to accepted engineering principles and approved engineering standards or to the satisfaction of SNC, whichever is applicable based on the scale and scope of the project.
- 8.1.6 The retirement of Dams or the removal of Dams which are structurally unsound or no longer serve their intended purpose, located within a river, stream, creek or watercourse may be permitted where an Environmental Assessment or a detailed decommissioning plan supported by SNC demonstrates that:
  - a) all potential hydrologic and ecological impacts have been identified and considered:
  - b) significant natural features and hydrologic functions within or adjacent to the river, creek, stream or watercourse are restored and enhanced through the retirement or removal of the structure and a site restoration plan supported by SNC;
  - c) the risk of *pollution* and sedimentation during and after retirement or removal is addressed through a draw down plan supported by SNC; and
  - a) susceptibility to natural hazards is not increased or new hazards created.

#### Conservation Projects within or Adjacent to a River, Creek Stream or Watercourse

8.1.7 Conservation projects such as stream rehabilitation works, small impoundments and realignments which restore or enhance watercourse morphology or aquatic health and habitat may be permitted in accordance with Section 6.1 and provided that:

<sup>&</sup>lt;sup>1</sup> Alterations to existing dams in watercourses that, in the opinion of SNC, would not affect the control of flooding, erosion, pollution or the conservation of land and that would not result in changes in the capacity to pass river flows or impacts on integrity of the structure or in-water works do not require a permit under Regulation 170/06.



- a) the hydrologic and ecological benefits of the project are demonstrated to the satisfaction of SNC;
- b) stream bank stability is enhanced;
- c) significant natural features and hydrologic functions are restored and enhanced using best management practices including site and/or infrastructure design and appropriate remedial measures;
- d) natural channel design principles are followed to the extent possible; and
- e) maintenance requirements are minimized.

#### **Erosion and Sediment Control Structures**

- 8.1.8 Erosion and sediment control structures to protect existing development and other uses deemed appropriate by SNC may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) erosion risk on adjacent, upstream and/or downstream properties is reduced or erosion and sedimentation processes are controlled to reduce existing or potential impacts from adjacent land uses, whichever is appropriate;
  - b) natural channel design principles are followed to the extent possible;
  - c) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized, and it is demonstrated that best management practices including site and infrastructure design and appropriate remedial measures will adequately restore and enhance features and functions; and
  - d) maintenance requirements are minimized.

#### Maintenance of Dams or Erosion and Sediment Control Structures

- 8.1.9 The maintenance and repair of *Dams* or erosion and sediment control structures may be permitted where it is demonstrated that:
  - a) pollution and sedimentation during maintenance and repair activities is minimized using best management practices including site and infrastructure design, construction controls and appropriate remedial measures;
  - b) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized, and it is demonstrated that best management practices including site and infrastructure design and appropriate remedial measures will adequately restore and enhance features and functions;
  - c) susceptibility to natural hazards is not increased or new hazards created; and
  - d) works are maintained or repaired according to accepted engineering principles and approved engineering standards or to the satisfaction of SNC based on the scale and scope of the project.



#### **Ponds**

- 8.1.10 Connected ponds with no water intakes from the watercourse but which outflow into the watercourse may be permitted provided that the provisions of Section 6.1 are met, and a site plan and/or other site-specific study demonstrates that:
  - a) there is no negative impact on the downstream water quality; and
  - b) maximum berm heights above existing grades do not exceed 0.3 metres (1 foot) within the Riverine Flooding or Erosion Hazard and all remaining fill is removed from the hazard area.
- 8.1.11 Bypass ponds<sup>2</sup> connected to *watercourse*s created as part of site restoration plan or a conservation project may be permitted subject to the provisions of Section 8.1.10, and where it is demonstrated that the water intake is set above the elevation that permits continuous flow (i.e., refreshing of the pond will depend on increased stream flows from snow melt and rainfall events).
- 8.1.12 On-Line ponds<sup>3</sup> in a *river*, *creek*, *stream* or *watercourse* are not permitted except as specified in Sections 8.1.4 and 8.1.11.
- 8.1.13 On-Line ponds at the very upstream end of watercourses may be permitted for wetland restoration and fish and wildlife habitat enhancement in accordance with Section 6.1 and where a site plan and/or other site-specific study demonstrates that there are no negative impacts on areas of groundwater recharge/discharge.
- 8.1.14 Dredging of an existing connected, bypass or on-line pond may be permitted in accordance with Section 7.1.22.

## Dredging of a River, Creek, Stream or Watercourse

- 8.1.15 Dredging of a river, creek, stream or watercourse may be permitted to improve hydraulic characteristics and fluvial processes or to improve aquatic habitat or water quality in accordance with Section 6.1 and where a dredging plan and/or other sitespecific study demonstrates that:
  - a) stream bank stability is maintained or improved;
  - b) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized and it is demonstrated that best management practices including site design and appropriate remedial measures will adequately restore and enhance features and functions; and
  - c) all dredged material is removed from the Riverine Flooding and Erosion Hazard and safely disposed of.

<sup>&</sup>lt;sup>3</sup> An on-line pond is built by digging-out or dredging an area within an existing watercourse or by damming a watercourse.



<sup>&</sup>lt;sup>2</sup> A bypass pond is created by diverting some of the flow from a watercourse into an adjacent pond. The outlet of this type of pond usually returns water to a watercourse.

## Realignment, Channelization or Straightening

- 8.1.16 Realignment, channelization or straightening of a river, creek, stream or watercourse may be permitted to improve hydraulic characteristics and fluvial processes or to improve water quality in accordance with Section 6.1 and where a site plan and/or other site-specific study demonstrates that:
  - a) all feasible alternative alignments have been considered through an Environmental Assessment supported by SNC or through site-specific studies. whichever is applicable based on the scale and scope of the project;
  - b) stream bank stability is enhanced;
  - c) where unavoidable, intrusions on significant natural features or hydrologic functions are minimized and it is demonstrated that best management practices including site design and appropriate remedial measures will adequately restore and enhance features and functions; and
  - a) natural channel design principles are followed to the extent possible.

#### **Enclosures**

- 8.1.17 Enclosures of creeks, streams or watercourses may be permitted where there is a risk to public safety and/or potential property damage and where a site-specific study demonstrates that:
  - a) all feasible options and methods have been explored to address the hazard(s) and the enclosure is supported by SNC:
  - b) the risk of public safety is reduced;
  - c) susceptibility to natural hazards is reduced and no new hazards are created;
  - d) there are no negative or adverse hydrological impacts on wetlands;
  - e) pollution, sedimentation and erosion during construction and post construction is minimized using best management practices including site and infrastructure design, construction controls, and appropriate remedial measures;
  - f) intrusions within or adjacent to the river, creek, stream or watercourse are minimized and it is demonstrated that best management practices including site design and appropriate remedial measures will adequately restore and enhance features and functions to the extent possible; and
  - g) works are constructed, repaired and/or maintained according to accepted engineering principles and approved engineering standards or to the satisfaction of SNC, whichever is applicable based on the scale and scope of the project.



#### **Shoreline Protection**

- 8.1.18 Shoreline protection/improvement projects may be permitted in accordance with Section 6.1 and where it is demonstrated that:
  - a) alignment results in no significant effects on river hydraulics;
  - transitions from proposed protection to adjacent shorelines is designed to mitigate local erosion, debris accumulation, or undesirable changes in local current;
  - c) the design incorporates adequate drainage features; and
  - d) there is no danger from marginally stable or unstable slopes.



# 9. Definitions

"Accepted Engineering Principles" means those current coastal, hydraulic and geotechnical engineering principles, methods and procedures that would be judged by a peer group of qualified engineers as being reasonable for the scale and type of project being considered, the sensitivity of the locations, and the potential threats to life and property.

"Accessory building or structure" means a use or a building or structure that is subordinate and exclusively devoted to a main use, building or structure and located on the same lot.

"Adverse Hydraulic and Fluvial Impacts" means flood elevations are not increased, flood and ice flows are not impeded and the risk of flooding to and erosion on adjacent upstream and/or downstream properties is not increased.

"Apparent Valley or Confined Valley" means that part of the valleyland system where the valley walls are greater than 3 metres (10 feet), with or without a floodplain.

"Assisted Living Facility" means a multiple residential unit that is constructed with limited kitchen facilities in the unit(s) or a group home, where individuals who require full or partial assistance with activities of daily living (e.g. bathing, toileting, ambulating, self administration of medications, etc.) reside.

"Areas of Interference" means those lands where development could interfere with the hydrologic function of a provincially significant wetland.

"Best Management Practices" means methods, facilities and structures which are designed to maintain or improve the environment and natural features and functions from the effects of *development* or interference.

"Comprehensive Plan" means a study or plan undertaken at a landscape scale such as a watershed/subwatershed plan, an Environmental Assessment, a detailed Environmental Implementation Report (EIR) that has been prepared to address and document various alternatives and is part of a joint and harmonized planning or Environmental Assessment process, or a community plan that includes a comprehensive Environmental Impact Study.

"Conservation of land" means the protection, preservation, management, or restoration of lands within the watershed.

"Creek" means a natural stream of water normally smaller than and often tributary to a river.

"Cut and Fill Balance" means all fill placed at or below the flood elevation is balanced with an equal amount of soil material removal within a defined reach of a watercourse.



"Dam" means a structure or work holding back or diverting water and includes a dam, tailings dam, dyke, diversion, channel, artificial channel, culvert or causeway (Lakes and Rivers Improvement Act, R.S.O. 1990 c. L3, s. 1)

"Development" means the construction, reconstruction, erection or placing of a building or structure of any kind; any change to a building or structure that would have the effect of altering the use or potential use of the building or structure, increasing the size of the building or structure or increasing the number of dwelling units in the building or structure; site grading; or the temporary or permanent placing, dumping or removal of material, originating on the site or elsewhere.

"Dug-out or Isolated Ponds" mean anthropogenic waterbodies that are created by excavating basins with no inlet or outlet channels and in which surface and ground water collect.

"Dwelling unit" means a suite operated as a housekeeping unit, used or intended to be used as a domicile by one or more persons and usually containing cooking, eating, living, sleeping and sanitary facilities.

"Ecological function" means the natural processes, products or services that living and non-living environments provide or perform within or between species, ecosystems and landscapes. These may include biological, physical and socio-economic interactions.

"Enclosure" means a pipe or other conduit for carrying a creek, stream or watercourse underground.

"Environmental Assessment" means a process that is used to predict the environmental, social and economic effects of proposed initiatives before they are carried out. It is used to identify measure to mitigate adverse effects on the environment and can predict whether there will be significant adverse environmental effects, even after the mitigation is implemented.

"Environmental Impact Study (EIS") means a report prepared to address the potential impacts of development or interference on natural features.

"Existing Use" means the type of activity associated with an existing building or structure or site on the date of a permit application.

"Factor of Safety" means the ratio of average available strength of the soil along the critical slip surface to that required to maintain equilibrium. The design minimum factors of safety are provided by the Ministry of Natural Resources Technical Guide - River and Stream Systems: Flooding Hazard Limit (2002). The higher factor of safety is used in complex geotechnical conditions or where there are geologically metastable materials.

"Fill" means any material that affects flood storage whether that material is placed on a permanent or temporary basis and whether that material originates on the site or elsewhere.



"Floodproofing" means structural changes and/or adjustments incorporated into the basic design and/or construction or alteration of individual buildings, structures or properties to protect them from flood damage under the standards set by the Ministry of Natural Resources Technical Guide - River and Stream Systems: Flooding Hazard Limit (2002).

"Floodway" for river, stream, creek, watercourse or inland lake systems means the portion of the floodplain where development would cause a danger to public health and safety or property damage. In the one-zone policy areas, the floodway is the entire contiguous floodplain.

"Habitable Floor Space" means any area that has the potential to be used as or converted to residential living space, including basements.

"Hazardous Land" means land that could be unsafe for development because of naturally-occurring processes associated with flooding, erosion, dynamic beaches or unstable soil or bedrock.

"Hazardous Substances" means substances which individually or in combination with other substances, are normally considered to pose a danger to or threat to public health, safety and the environment. These substances generally include a wide range of materials that are toxic, ignitable, corrosive, reactive, radioactive or pathological.

"Hydrologic Function" means the functions of the hydrologic cycle that include the occurrence, circulation, distribution and chemical and physical properties of water on the surface of the land, in the soil and underlying rocks, and in the atmosphere, and water's interaction with the environment including its relation to living things.

"Hydrologic Study" means a report prepared to address the potential impacts of development and interference on the hydrologic functions of a wetland or other natural feature.

"Karst" means an area of irregular limestone in which erosion has produced fissures, sinkholes, underground streams, and caverns.

"Negligible" means not measurable or too small or unimportant to be worth considering.

"Non-Apparent Valley or Unconfined Valley" means that part of the valleyland system where a river, creek, stream or watercourse is not contained within a clearly visible valley section.

"Other Water-Related Hazards" means water-associated phenomena other than flooding hazards and wave uprush which act on shorelines. This includes, but is not limited to ship-generated waves, ice piling and ice jamming.

"Pollution" means any deleterious physical substance or other contaminant that has the potential to be generated by development.



"Potential Retrogressive Landslide Area" means the mapped hazard area between the Village of Casselman and the former town of Lemieux where engineer and geotechnical reports indicate large-scale retrogressive landslides can occur at any time.

"Provincially Significant Wetlands" means wetlands the province has identified as being the most valuable under the Ontario Wetland Evaluation System.

"Qualified Professional" means a person with specific qualifications, training, and experience authorized to undertake work in accordance with accepted engineering or scientific principles, provincial standards, criteria and guidelines to the satisfaction of SNC.

"Regulated Area" means the greatest extent of the combined hazards plus any prescribed allowance as described in Ontario Regulation 170/06.

"Regulatory Flood" means the 1:100-year flood, the limits of which define the riverine flooding hazard.

"Replacement" means the removal of an existing building or structure and the construction of a new building or structure. It does not include reconstruction of remnant foundations or derelict or abandoned buildings or structures.

"River" means a large natural stream of water emptying into an ocean, lake, or other body of water and usually fed along its course by converging tributaries.

"Riverine Erosion Hazard" means the loss of land, due to human or natural processes, that poses a threat to life and property.

"Riverine Flooding Hazard" means the inundation caused by the 100 Year Flood Event Standard.

"Safe Access" means locations where the depth of flooding during a Regulatory Flood along the full length of the travelled surface of the access roadway or right-of-way is no greater than 0.3 metres with a maximum flood velocity of 3 m/s for vehicle access and no greater than 0.8 metres with a maximum flood velocity of 1.8 m/s for pedestrian access.

"Significant Natural Features" means features and areas including provincially significant wetlands, fish habitat, valleylands, habitat of endangered species, significant wildlife habitat, confirmed habitat for provincially or regionally significant species, part of an ecologically functional corridor or linkage between natural areas, or any other features or areas that are considered ecologically important in terms of contributing to the quality and diversity of an identifiable geographic area or natural heritage system.

"St. Lawrence River Flooding Hazard" means the peak instantaneous still water level plus an allowance for wave uprush and other water-related hazards that has a probability of occurrence of one per cent during any given year.



"Stream" means a flow of water in a channel or bed, as a brook, rivulet, or small river.

"Valleyland" means land that has depressional features associated with a *river* or *stream*, regardless of whether it contains a *watercourse*.

"Watercourse" means an identifiable depression in the ground in which a flow of water regularly or continuously occurs.

"Watershed" means an area that is drained by a river and its tributaries.

"Wave Uprush" means the rush of water up onto a shoreline or structure following the breaking of a wave; the limit of wave uprush is the point of furthest landward rush of water onto the shoreline.

#### "Wetland" means land that:

- is seasonally or permanently covered by shallow water or has a water table close or at the surface;
- directly contributes to the hydrological function of a watershed through connection with a surface watercourse;
- has hydric soils, the formation of which have been caused by the presence of abundant water; and
- has vegetation dominated by hydrophytic plants or water tolerant plants, the dominance of which has been favoured by the presence of abundant water;

but does not include periodically soaked or wet land that is used for agricultural purposes and no longer exhibits *wetland* characteristics.

"100 Year Erosion Rate" means the average annual rate of recession extended over a one-hundred-year time span.

"100 Year Flood Event Standard" means rainfall or snowmelt, or a combination of rainfall and snowmelt producing at any location in a river, creek, stream or watercourse a peak flow that has a probability of occurrence of one per cent during any given year.



# 10. References

Provincial Legislation and Regulations - www.e-laws.gov.on.ca

Federal Legislation and Regulations - <a href="http://laws.justice.gc.ca/en/">http://laws.justice.gc.ca/en/</a>

Conservation Authorities Act, R.S.O. 1990, c. C.27 - <a href="http://www.e-laws.gov.on.ca/html/statutes/english/elaws\_statutes\_90c27\_e.htm">http://www.e-laws.gov.on.ca/html/statutes/english/elaws\_statutes\_90c27\_e.htm</a>

Ontario Regulation 170/06 - https://www.ontario.ca/laws/regulation/060170

Provincial Policy Statement - <a href="http://www.mah.gov.on.ca/Page215.aspx">http://www.mah.gov.on.ca/Page215.aspx</a>

